

# Clínica y Salud

Clinica y Salud Insurant Clinica y Salud Insur

https://journals.copmadrid.org/clysa

# Systematic Review of the Indirect Relationships of Thwarted Belongingness and Perceived Burdensomeness in Suicide

Patricia Espinosa-Salido<sup>a</sup>, Miguel A. Perez Nieto<sup>b</sup>, Enrique Baca-García<sup>c</sup>, and María Provencio Ortega<sup>b</sup>

<sup>a</sup>Universidad Autónoma de Madrid, Spain; <sup>b</sup>Universidad Camilo José Cela, Madrid, Spain; <sup>c</sup>Department of Psychiatry, University Hospital Jimenez Diaz Foundation, Madrid, Spain

## ARTICLE INFO

Article history: Received 23 March 2020 Accepted 11 September 2020 Available online 26 November 2020

Keywords:
Suicide
Thwarted belongingness
Perceived Burdensomeness
Interpersonal-Psychological Theory
Ideation suicide
Review

R E S U M E N

#### ABSTRACT

Joiner's Interpersonal-Psychological Theory of Suicide (IPTS) considers the interpersonal variables of low social belonging and the perception of being a burden on others as drivers of suicidal ideation. This study has sought to review the empirical evidence on this prediction. In all, 40 studies were found. The findings report a major mediator and moderator role of perceived burdensomeness (PB) and thwarted belongingness (TB) in the relationship between the propensity toward suicide and psychological, social, and environmental factors. As the theory predicts, expecting to find that the interaction of both of these variables would be more closely linked to suicidal ideation, this does not appear to have been fully supported, generally finding a greater significance when they were integrated into separate models. It seems that attributing other forms of relationship with suicide for the variables identified by Joiner would provide IPTS with greater empirical support.

# La revisión sistemática de la relación indirecta entre la pertenencia social frustrada y la sensación de ser una carga en el suicidio

La teoría interpersonal psicológica del suicidio de Joiner considera las variables interpersonales de baja pertenencia social y la percepción de ser una carga para los demás como impulsores de la ideación suicida. Este estudio revisa la evidencia empírica sobre esta predicción. En total, se han encontrado 40 estudios. Los hallazgos descubren un importante papel mediador y moderador de la carga percibida y la pertenencia frustrada en la relación entre la propensión al suicidio y los factores psicológicos, sociales y ambientales. Como predice la teoría, esperando encontrar que la interacción de ambas variables estaría más estrechamente ligada a la ideación suicida, esto no parece haber sido totalmente respaldado, encontrando generalmente una mayor significación cuando estas se integraron en modelos separados. Parece que atribuir otras formas de relación con el suicidio para las variables identificadas por Joiner proporcionaría a la teoría interpersonal psicológica del suicidio un mayor apoyo empírico.

Palabras clave:
Suicidio
Pertenencia frustrada
Carga percibida
Teoria interpersonal psicológica
Ideación suicida
Revisión

According to data provided by the WHO (2017), suicide is one of the main causes of death throughout the world, with around 800,000 people dying in this way every year, whereby it is estimated that a death by suicide occurs every 40 seconds. Many of the models have not been suitably integrating to understand suicidal behaviour (Joiner, 2005). Considering the corpus of empirical evidence that is gathered on an ongoing basis in this science, as in any other field, suicidology has informed a new generation of theories that seek to explain patterns that had not been previously considered, such as why two out of three people considering suicide have ultimately shied away from it (Nock et al. 2008).

More recently, in his book *Why people die by suicide* Joiner (2005) has posited that suicidal behaviour could be explained by the interaction of three factors – two interpersonal variables and the acquired capability – independently of other constructs (Van Orden et al., 2010). The interpersonal variables that influence suicidal ideation are: (1) a sense of low social belonging (TB) and (2) the perception of being a burden on others (PB). As Joiner (2005) explains based on opponent-process theory, etiologically speaking, a body is not designed to cause its own death (this would involve a "struggle" with the survival instinct). For this to happen, repeated exposure has had to be made to aversive stimuli, generating a habituation over

Cite this article as: Espinosa-Salido, P., Perez Nieto, M. A., Baca-García, E., & Provencio Ortega, M. (2021). Systematic review of the indirect relationships of thwarted belongingness and perceived burdensomeness in suicide. Clínica y Salud, 32(1), 29-36. https://doi.org/10.5093/clysa2020a27

Funding: Funding for this study was provided by Centro de Enseñanza Universitaria SEK S.A., Calle Castillo de Alarcón, Urbanización Villafranca del Castillo. Correspondence: esp.salido@gmail.com (P. Espinosa-Salido)

time, besides strengthening the opposite response (Solomon, 1998). This means exposures to painful experiences in different contexts and at different times would ultimately lead to a habituation to and tolerance of pain, as well as the absence of fear toward the threat of death (Joiner et al., 2009). The Interpersonal-Psychological Theory of Suicide (IPTS) contends that the feeling of social belonging (thwarted belongings, TB) (family, friends, and other social circles) acts as a major predictor of suicidal ideation (Joiner, 2005). TB is described as a dynamic cognitive-affective state (not so much a stable trait) in an individual, which is dimensional and fluctuates over time, and which is influenced by interpersonal and intrapersonal factors (such as the current interpersonal environment, an individual's active beliefs or thoughts related to their interpersonal environment, and their prevailing emotional state) (Van Orden et al., 2010). IPTS assumes that TB needs to be sustained over time if it is to prompt suicidal thoughts. This construct is closely related to social isolation, a term described by numerous scholars as a major predictor of suicidal behaviour. Studies such as the one by DeCantanzaro et al. (1995) and Oin and Nordentoft (2005) link TB or social isolation to suicidal ideation, revealing it to be a major predictor of suicidal behaviour. The authors understand this multidimensional construct to be a latent variable comprising subordinate variables related to suicidal ideation. These two subfactors are loneliness, "I feel disconnected from others", and the absence of reciprocally-caring relationships (Van Orden et al., 2010).

According to Joiner's (2005) theory, there is a second variable, understood as the perception of being a burden on others (perceived burdensomeness, PB) (family, friends, or society). Negative circumstances such as being unemployed, family conflicts, or having a physical illness are stressors that could easily prompt this feeling in an individual, and are linked to suicidal behaviour (Dutton et al., 2013; Puzia et al., 2014). As with TB, PB is a cognitive dimensional and dynamic cognitive state whose severity may vary over time. PB may encompass other contexts of a person's life outside the family, such as friendships. This psychological construct is, in turn, made up of two dimensions of interpersonal functioning: (1) a feeling of not being suitably capable of taking responsibility for others and (2) cognitions of an affective nature (Van Orden, 2010).

In short, Joiner's (2005) IPTS contends that TB and PB are two psychological constructs that are most of the time going to feature in suicidal ideation. This study sets out to review the empirical evidence in multiple populations on the interpersonal variables in the risk of suicide, and specifically whether they moderate or mediate the relationship between other factors and suicide. Another review and meta-analysis have been found about these interpersonal factors of the theory. Ma et al. (2016), found 66 studies where the presence of perceived burdensomeness, thwarted belongingness, and acquired capability in suicide was studied. The conclusion of the review was mixed, finding perceived burdensomeness the most tested and supported relationship (Ma et al., 2016). On the other hand, the analysis found in the meta-analysis (with 122 samples) empirical support for the interpersonal variables of the theory in relation to suicide, although the effect size was moderated by these (Chu, Buchman-Schmitt, et al., 2017) (Figure 1).




Figure 1. Indirect Relationship between Factors and Suicide through TB/PB.

#### Method

#### **Inclusion and Exclusion Criteria**

Criteria were following the PICO strategy for formulating clinical questions (da Costa Santos et al. 2007):

- Participants/population: any type of population without specifications.
- Intervention: evaluation of TB [thwarted belongingness] or/ and PB [perceived burdensomeness] as mediating or moderating variables of any suicidal outcome.
  - Comparator(s)/control. No specific comparators were required.
- Outcomes: statistical significance or not of the factor studied through TB or PB in the outcome, that is, the confidence intervals do not include zero (Hayes, 2013).

Inclusion criteria for the articles were as follows: (1) the study includes the explicit terms "thwarted belongingness" or "perceived burdensomeness" as moderator or mediator variables; (2) the study includes a suicide construct as outcome; (3)there are statistical analyses of mediation or moderation on the study; (4) the study has been published as of 2005 for the analyses of indirect relationships.

No reviews, development texts, or clinical cases are included. Despite this, we included international studies. Finally, unpublished data was not included. In spite of the large body of research out there on the different statistical relationships between Joiner's interpersonal theory concepts, we only decided to include studies with moderation and mediation data on the "thwarted belongingness" and "perceived burdensomeness" – since the purpose of this review was to respond to this type of relationship.

#### **Studies Included**

To find studies to include in this review, which started in November 28th 2017, we decided to use Scopus, PubMed, and Ebscohost as search systems, having access to databases such as Medline or APA PsycINFO. The controlled key terms used to search were: (Perceived Burdensomeness) OR (Thwarted Belongingness) OR (Interpersonal psychological theory) AND (Suicide).




Figure 2. PRISMA Flow Diagram.

**Table 1.** Indirect Relationships (from Moher et al., 2009)

Author, Year	N	Age M (SD)	Population	Design	for IPTS	S Study Factors	IPTS	Effect Size (R2)	Outcome	Relation Existence
(Chu, Hom, et al., 2017)	469	19.4 (2.0)	US undergraduates	С	INQ-15	Insomnia	TB	.02	SI	Yes
	352	27.0 (10.4)	US outpatients	C	INQ-15	Insomnia	TB	.05	SI	Yes
	858	37.3 (10.8)	US firefighters	C	INQ-15	Insomnia	TB	.14	SI	Yes
							(1 & 2)		(1):	(1) Yes
	217	44 (12.4)	US Primary care Patients	L	INQ-15	(1, 2 & 3):	T1: TB	(1).11	T1Suicidality (2 & 3):	(2) Yes
			rationis			T1Insomnia	(3) T2: TB	(2).11	T2Suicidality	(3) Yes
					Adapted					
			US military personnel		5-items		_			
(Hom et al., 2017)	937	38.2 (14.)	and veterans	C	version of	Insomnia	TB		SI	Yes
					TB from INQ-15					
							(1)TB			(4) 17
	3386	29.91 (4.93)	US military personnel	С	INQ-8	Insomnia	(2) (TB, PB) TB		SI	(1) Yes (2) Yes, NO
							x PB			(2) 163,110
	445	E0 E0 (46 C)	110 111		DIO 45	, .	(1) TB		CD	(1) Yes
	417	50./3 (16.6)	US military veterans	C	INQ-15	Insomnia	(2) (TB, PB)TB x PB		SR	(2) Yes, NO
			South Korea				KID			
(Chu, Hom, et al., 2016)	552	21.53 (2.25)	South Korea undergraduates	C	INQ-15	Insomnia	TB	.03	SI	Yes
			· ·			Rejection perceived				
(Campos & Holden, 2015)	203	37.86 (11.68)	Portuguese adults	С	INQ-15	parental	(TB, PB)*		SR	Yes
(Campos et al., 2016)	280	19.73 (2.17)	Portuguese adults	L	INQ-15	Depression	(TB, PB),TB x PB		T2 SI	Yes
(Campos & Holden 2016)	200	36.7 (12.8)	Portuguese adults	C	INQ-15	Depression	(TB, PB)*		Suicidality	Yes
(Cole et al., 2013)	156		US students	С	INQ-15	Depression	TB, PB		SI	PB Yes
(Jahn et al., 2011)	106	70.9 (7.6)	US older adults	С	Proxy	Depression	PB		SI	TB No Yes
(Zullo et al., 2017)	151	, ,	US inpatients young	С	INQ-15	Insomnia	PB, TB		SR	No
(Zulio Ct al., 2017)	131	13.03 (1.4)	O3 inpatients young	C	11\Q-13	maternal	10, 10			140
(Venta et al., 2014)	133	14.69 (1.478)	US inpatients young	C	INQ-25	attachment	TB		Suicide thoughts	Yes
						security	(1)(PB, TB)		-	(1) Yes
(Buckner et al., 2017a)	780	19.9 (2.0)	US students	С	INQ-15	Social anxiety	(2) PB x TB	(2).19	SI	(2) Yes
(Hagan & Joiner, 2017)	50	18.7 (1.23)	US undergraduates	С	INQ-15	Perceived criticism	PB, TB		Suicide behaviour	TB Yes
						Ambiguity in sexual	PB x TB			PB No Yes
(Talley et al., 2016)	349	20.93 (2.92)	US women	С	Proxy	orientation	IDKID		SI	
(C	າາຕ	42.2 (11.1)	LICLOD	c	INO 12	Internalized	(PB, TB)		Propeness	PB Yes
(Cramer et al., 2015)	336	42.3 (11.1)	USLGB	С	INQ-12	homophobia			suicide	TB No
	876 (boys 382,					Sexual orientation	(1)(PB,TB) <sup>1</sup>			(1 & 2) PB Yes
(Baams et al., 2015)	girls 439)	18.31 (1.82)	US adults (1&2)LGB	C	INQ-15	victimization	(2)(PB,TB) <sup>1</sup>		SI	TB No
	,					Stress	(,, , ,			
						Internal stressors				
(Testa et al., 2017)	816	32.53 (13.13)	US transgender adults	C	INQ-12	of Gender minority	(PB,TB)		SR	Yes
						stress and resilience				
			US adults practicing							
			goodness and							
(Roush et al., 2017)	321	29.50 (0.63)	discipline, domination	C	INQ-15	Negative emotions	(PB, TB)		SI	Yes
			and submission, and sadomasochism							
			Sadomasocmsm							
						Micro-racial				
						dimensions (invisibility,		Invisibility		PB: Yes (only in
			US Young African			undesirable culture,		.003 Undesirable culture		invisibility, undesir
(Hollingsworth et al., 2017)	135	19.45	students	C	INQ-15	environmental	(PB, TB)	.086	SI	culture, environme
						invalidations, criminality,		Environ.		invalidations) TB: No
						sexualization, and		invalidations .076		12,110
						foreigner)				
(Buitron et al., 2016)	180	14.72 (1.49)	US inpatients adolescents	C	INQ-10	Interpersonal stress	(PB, TB)		SR	PB Yes TB No
						Fear of negative				
(Chu, Buchman-Schmitt, et al., 2016)	170	19.3 (2.5)	US undergraduate	C	INQ-15	evaluation	TB		SI	Yes
										(1) PB Yes
(Mitchell et al., 2016)	348		US undergraduate	С	INQ-15	Intensity of	(1)PB, TB		SI	TB No
	3.3			Ü		cyberbullying	(2)(PB, TB)		J.	(1) PB Yes TB No
			US students habitual							
(Buckner et al., 2017b)	209	20.0 (2.0)	users of cannabis	C	INQ-15	Cannabis use	(PB x TB)		SI	Partially

**Table 1.** Indirect Relationships (from Moher et al., 2009) (continued)

Author, Year	N	Age M (SD)	Population	Design	Instrument for IPTS	Study Factors	IPTS	Effect Size (R2)	Outcome	Relation Existence
(Lamis & Malone, 2011)	996	19.2 (1.3)	US undergraduate	С	INQ-12	Problems related to alcohol abuse	(PB, TB)		Suicide proneness	Yes
(Wolford-Clevenger et al., 2016)	155	19.76 (3.20)	US undergraduate	C	INQ-15	TB, PB	(PB x TB)		SI	Yes
(Allbaugh et al., 2017)	179	36.65 (10.55)	US African-American women	С	INQ-25	Childhood abuse: (1) physical (2) sexual (3) emotional Neglec: (4) physical (5) emotional	(PB, TB) <sup>1</sup>	-	Suicide resilience	(1) No (2) No (3, 4 & 5) PB Yes,TB No
(Puzia et al., 2014)	189	22.02 (0.49)	US undergraduateswho suffered child abuse	L	INQ-12	Childhood emotional abuse	T1 PB,TB		T2 SI	PB Yes TB No
(Dutton et al., 2013)	151/ 120	18.89 (1.39)/ 32.04 (16.6)	US undergraduate/ participants in the treatment of obesity	С	INQ-15	Body mass index	PB		SI	PB Yes
(Kleiman et al., 2014)	245	20.04(3.06)	US depressive undergraduates	L	INQ-12	Negative cognitive style	(1) (PB, TB) (2) PB (3) TB		T2 SI	(1) PB Yes TB No (2) Yes (3) Yes
(Forkmann & Teismann, 2017)	480	28.5 (11.1)	US online participants	s C	INQ-15	Entrapment	(1) PBmod (2) TBmod		SI	(1) No (2) No
(Cramer et al., 2014)	336	42.26 (11.14)	US LGB patients	С	INQ-12	(1 & 2) neuroticism extraversion (2) openness, agreeableness, conscientiousness	(1 & 2)(PB, TB) <sup>1</sup>		Suicide proneness	(1) PB Yes both; TB only extraversion (2) PB only neuroticism,extraversion; TB only agreeableness, neuroticisms,extraversion
(Jahn et al., 2015)	151	3.3 (6.5)	US seniors	С	INQ-15	Personality disorder traits	(PB, TB)		SI	Yes
(Rogers & Joiner, 2016)	169	26.05 (10.0)	Us outpatients	С	INQ-15	Affective dysregulation	(PB, TB)		SI	PB Yes, TB No
(Rogers et al., 2017)	541	49.90 (16.78)	US military veterans	С	INQ-15	Self-directed hostility, shame, anger, and guilt	(PB, TB)		Suicide proneness	PB Yes all but no anger TB Yes all but no guilt
(Hawkins et al., 2014)	215	26.47	US outpatients	С	INQ-15	Anger	(PB, TB)		SI	PB Yes, TB No
(Pennings et al., 2017)	935	(0.07) 27.05 (8.11)	US military		INQ-15	PTSD	(PB x TB)		SI	Yes
(Poindexter et al., 2015)	254	19.55 (3.22)	US university with potentially traumatic		INQ-15	PTSD	(PB, TB)		SI	PB Yes, TB No
(Davis et al., 2014)	334	19.65 (3.30)	US undergraduates with traumatic experience	С	INQ-15	PTSD: Reexperiencing/ Avoidance/ Numbing/ Dysphoric arousal/ Anxious arousal	(РВ,ТВ)		SI	PB Yes T Yes only dysphoric arousal and avoidance
(Kwan et al., 2017)	574	19.3(1.45)	US undergraduates	С	INQ-15	(1) Eating disorder symtoms	(PB, TB)		SR	Yes
	1791	19.20 (1.28)	US undergraduates	С	INQ-15	(1) global eating disorder symptoms, (2) drive for thinness (3) interoceptive awareness (4) bulimia (5) body dissatisfaction (6) ineffectiveness (7) interpersonal distrust (8) perfectionism (9) maturity fear	(PB, TB)	-	SR	(1, 2, 4, 5, 8 & 9) PB Yes; TB Yes (3, 6 & 7) PB Yes; TB No
(Chu, Rogers, et al., 2016)	49	18.84 (1.18)	US undergraduates	L	INQ-15	Nonsuicidal self- injury	T1 1: (PB, TB) 2: TB 3: PB T2 4: (PB, TB) 5: TB 6: PB	-	SI	(1) PB No, TB Yes (2) Yes (3) Yes (4) PB Yes, TB No (5) Yes (6) Yes

**Table 1.** Indirect Relationships (from Moher et al., 2009) (continued)

Author, Year	N	Age M (SD) Population	Design Instruments Study Factors for IPTS	IPTS	Effect Size (R2)	Outcome	Relation Existence
(Hirsch et al., 2016)	98	42.4 (12.81) US adults	C INQ-15 Pain severity	(1) TB (2) PB (3) (TB, PB)		Suicidal behaviour	(1) Yes (2) Yes (3) No

Note. TB = thwarted belonging; PB = perceived burdensomeness; SI = suicidal ideation; SR = suicidal risk; L = longitudinal; CS = cross-sectional. statistics: PB, TB = in different mediation analysis models, (PB, TB) = both included in the same mediation analysis model, PB x TB = analysis of moderate mediation between variables, T1 and T2 = time 1 and 2 in longitudinal studies, 'other mediators or covariates included; mod = moderation.

The sum of studies of the three search systems after having inserted the key words were 776. Using citation management application Endnote version X7 the duplicates were deleted, leaving 414 articles for the first screening. Two independent reviewers (PES, MPO) proceeded to read the abstract by searching for the presence or not of indirect relations analysis; all items that were not quantitative studies were removed - like meta-analysis, qualitative studies or clinical case - with an agreement between the reviewers on the exclusion of studies; 115 articles were found for full-text reading. Each reviewer carried out the reading of the studies, according to the established inclusion and exclusion criteria, removing studies (i.e., investigated other variables of the theory, there were not analyses of indirect relationships between the variables proposed, or these analyses were given in other study variables), 3 articles were excluded for not access to full text, ending up with 40 articles. The review followed Prisma Statement and Checklist (Liberati et al. 2009; Moher et al. 2009), as well as the action guidelines suggested by Cajal et al. (2020). The effect size was calculated given a value of  $R^2$ .

We were not able to do a meta-analysis due to insufficient available data on interaction effects and the heterogeneity of the studies and population (Figure 2).

# Results

## **Mediation and Moderation Relationships**

A total of 40 articles with 46 studies were found with a mediation or moderation analysis of TB (thwarted belongingness) and/or PB (perceived burdensomeness) among psychological constructs and suicide risk (Table 1).

Joiner's IPTS [Interpersonal-Psychological Theory of Suicide] constructs have been studied in myriad samples, with a large number of these (34.78%) recruiting university students, military personnel, and veterans (13.4%); 15.21% of this sample is compiled with out- and inpatients, hospital admissions, or mental health sufferers. Three studies (6.52%) in this review noted different variables in Portuguese population, four studies (8.69%) in LGBT and LGB population, two (4.3%) in Afro-American population, and one in South Korean population, the same as in specific populations as practitioners of dominance, submission, and sadomasochism, child abuse, a past history of self-harm, substance abuse or obesity.

Almost all the studies are cross-sectional (89.1%). Only five studies (10.8%) took measures from the same population over different moments in time.

Quite a few of the studies have investigated whether TB and PB could act as mediators of the symptomology of specific disorders. In a study that identifies the symptomology of an eating disorder (N = 1,791, ages 18 and 47), the results indicate that the desire to be thinner, bulimia, and body dissatisfaction have an indirect impact on the risk of suicide through Joiner's interpersonal variables, while only PB mediates the relationship with interoceptive awareness, ineffectiveness and lack of trust. In this same study, perfectionism and fear of ageing reveal a moderate mediation through TB and PB and sex. Specifically, perfectionism only impacts upon suicide risk in men through TB, and PB only in women, where it is also stronger

(Kwan et al., 2017). Another study with military personnel in which PTSD symptomology is studied (N= 935) finds that more hyperactive people score higher in suicidal ideation through TB solely in the highest levels of PB (Pennings et al., 2017), while Poindexter et al. (2015) have found that PB mediated the symptoms of PTSD, with substance abuse acting as a moderator in this relationship with suicidal ideation. Rogers et al. (2016) studying the symptomology of borderline personality disorder in a sample of 169 outpatients found that PB mediates the relationship between emotional dysregulation and suicidal ideation.

Numerous studies have linked depression and insomnia to suicide. Zullo et al. (2017), using a sample of 151 younger psychiatric patients (aged between 12 and 17) in hospital, found that PB and depressive symptoms explain the relationship between insomnia and the suicide risk. A further four studies link a depressive symptomology and suicidal ideation. The results suggest that PB has a greater capacity for mediating between these constructs (Cole et al., 2013; Jahn et al., 2011), with fewer studies finding this relationship on the part of both interpersonal variables (Campos et al., 2016).

As regards insomnia, TB seems to play a mediating role in suicidal ideation and risk (Chu, Hom, et al. 2016), although these same studies have not found the same for PB. By contrast, other studies have indeed found this indirect relationship and, what is more, this construct seems to act as a moderator when anxiety mediates insomnia and ideation (Chu, Hom, et al. 2017; Zullo et al., 2017). In addition, this latter indirect effect of TB ceases to have any significance when controlling for symptoms of depression (N = 417 military veterans) (Hom et al., 2017).

Substance abuse is another risk factor associated with suicidal behaviour. A study involving frequent users of cannabis (*N* = 209) has found that consumption is linked to high levels of suicidal ideation through PB solely in high levels of TB (Buckner, Lemke, & Walukevich, 2017). Other studies have reported that the use of substances seems to moderate the relationship among individuals with symptoms of PTSD or victims of domestic abuse and ideation (Poindexter et al., 2015; Wolford-Clevenger et al., 2016), and a greater moderation by TB in the association between alcohol-related problems and a propensity toward suicide (Lamis & Malone, 2011). A history of self-harm also appears to be related to suicidal ideation through interpersonal variables (Chu, Rogers, et al., 2016).

Concerning social functioning, social anxiety impacts upon suicidal ideation through PB solely when there are also high levels of TB (Buckner, Lemke, Jeffries, et al., 2017). This latter interpersonal construct, nonetheless, appears to mediate the fear of a negative evaluation and perceived criticism (Chu, Buchman-Schmitt, et al., 2016; Hagan & Joiner, 2017). The findings of another study indicate that variables such as interpersonal stress will have an impact on suicidal ideation through PB (Buitron et al., 2016). Elsewhere, a study found that social variables, such as an individual's subjective assessment of present relationships, might act as moderators of TB in suicidal thoughts (Monteith et al., 2015).

Regarding family-related constructs, a study based on the relationship between the style of maternal attachment in childhood and how this might be related to depressive thoughts in the future (N = 133 adolescents) found that not only does TB mediate the

relationship between the assurance of the maternal style and depression, but also the relationship between that perception of assurance and thoughts about suicide (Venta et al., 2014). Other family variables such as child abuse – emotional, accumulative and severe – have been associated with suicidal ideation and resilience through PB (Allbaugh et al., 2017; Puzia et al., 2014), while variables such as the perception of parental rejection have found this kind of association with both of Joiner's interpersonal constructs and suicide (Campos & Holden, 2015).

There are studies focussing on other issues of a social nature. For example, a sample of 348 university students revealed that the intensity of cyberbullying is related to suicidal ideation mediated by the PB variable and symptoms of depression (Mitchell et al., 2016). Other studies involving African populations (N = 135) have noted that experiencing certain racial microaggressions – invisibility, culture of low performance or undesirability, and invalidations by the environment – are associated with suffering from higher levels of PB, which is related to higher suicidal ideation (Hollingsworth et al., 2017).

A study of 816 transgender adults revealed that internalised transphobia, as well as future expectations, are associated with suicidal ideation through Joiner's variables (Testa et al., 2017), while internalised homophobia and victimisation due to sexual orientation do so only through PB. This interpersonal construct has only been found linked to the level of depression in the same sample (N = 336 members of the LGB community) mediated by sex (Baams et al., 2015; Cramer et al., 2015). In turn, ambiguity in sexual orientation in a sample of 349 women has been related to suicidal ideation through a moderate mediation, where TB intercedes indirectly between these constructs with higher levels of PB (Talley et al., 2016). Another study involving the LGB population (N = 336) reported that the effects of neuroticism and extraversion are mediated by PB (with a negative indirect effect) in the propensity toward suicide (Cramer et al., 2014).

Other studies observing these interpersonal constructs with personality traits or emotions conclude that self-directed hostility, shame, and personality disorder traits - together with symptoms of depression - are related to different suicide variables - ideation, risk - through both interpersonal variables (Jahn et al., 2015; Rogers et al., 2017; Roush et al., 2017). Studies differ regarding guilt and anger. So, while the findings reported by Roush et al. (2017) describe a mediation of guilt in ideation by both interpersonal variables in a sample of 321 adults involved in domination, submission, and sadomasochism, the study by Rogers et al. (2017) only finds mediation by PB. The results are similar for anger: while Rogers et al. (2017) observe it is mediated by TB in relation to the suicide risk, Hawkins et al. (2014) conclude that the associations between anger, suicidal ideation, and behaviour are mediated by PB and TB, albeit to a greater extent by PB. Another study also found that PB mediates the relationship between a negative cognitive style and ideation (Kleiman et al., 2014). As regards the indirect association between the interpersonal variables and other constructs, such as the feeling of entrapment proposed by the integrated motivational volitional model (IMV), no significant results have been forthcoming (Forkmann & Teismann, 2017).

Hopelessness has also been studied with regard to suicide and these constructs. A study of 349 women (aged between 18 and 30) found a greater risk of suicidal ideation when they experience hopelessness toward the future together with high levels of PB and TB (Talley et al., 2016).

# Discussion

Findings of other reviews regarding the relationship between PB and TB in the suicide phenomenon are mixed and have so far provided partial support for Joiner's IPTS (Ma et al., 2016). As far as we know, this is the first review to examine whether the interpersonal variables

of IPTS may have an indirect influence on suicide, considering other factors distal to Joiner's theory that have already been addressed in the literature.

The results of this review found that PB and TB play a major mediating role in the relationship between the propensity toward suicide and psychological, social, and environmental factors. The constructs found to be most widely studied seem to differ in terms of the variables' influence. As the theory predicts, expecting to find that the interactions between both variables would be associated more frequently and more strongly with suicidal ideation does not appear to have been fully supported, finding a greater significance when these are integrated in separate models. For example, the research that studied the influence of TB and PB in the relationship between insomnia and a propensity toward suicide reports a greater influence by TB. In depressive symptomology, social constructs and personality traits record a greater indirect influence by PB.

The results have generally been mixed, with the indirect relationship on other constructs and the suicide risk through interpersonal variables being largely significant, and all the studies have found indirect associations for one or more of Joiner's variables. These results might explain the partial support found in the relationship between PB and TB and suicide (Ma et al., 2016). Considering the outcomes of this review, a possible explanation could be that the interpersonal variables of IPTS might affect the influence that other risk factors have on propensity toward suicide.

There are studies reporting that resilience factors have an indirect impact on interpersonal variables and the suicide risk (Rasmussen & Wingate, 2011; Tucker et al., 2013; Hollingsworth et al., 2017). This might indicate that just as interpersonal variables may increase or mediate the relationship between risk factors and suicidal ideation, there are other psychological constructs that may protect an individual or weaken the relationship between PB and TB and the suicide risk.

The measures used for assessing the interpersonal variables have largely been INQ-15, followed by INQ-12, INQ-18, INQ-10 (Bryan et al., 2010; Van Orden et al., 2012), with less use being made of proxy measures. The populations studied have mostly involved the general population, students, military personnel, veterans, and outpatients. The size of the samples ranges from 49 through to 3,386 participants. Only five longitudinal studies have been found, which restricts the majority of the results to a specific moment in time and not the changes in the interpersonal variables on the suicide risk, with an interesting research stream being their influence on suicidal ideation over time.

It is not only suicidal ideation that has been included as a outcome variable, as other studies evaluate other constructs - risk, conducts, suicidal behaviour, propensity towards suicide - which could encompass more aspects or facets other than suicide, with this being one of the study's major limitations. On the other hand, the so-called "grey literature" has not been included in this review - only the published articles have been selected - so the studies published in this review may not be fully representative of the current literature. Another significant limitation is that information on other variables included in mediation models is not included. The review did not provide information on the total or partial mediation of interpersonal variables in the regression models. Authors (Hayes, 2013) comment that if the direct influence between the independent and the dependent variable is not zero (not just lose significance), once the mediating variables are inserted into the model this could be implying that not all the variables involved would be in the relationship between the independent variable and the result.

To conclude, the results of this review reveal that it seems that the variables described by Joiner could have a type of indirect influence on other psychological constructs, TB appearing to have a minor influence on the relationship of other psychological factors (Ma et al., 2016; Chu, Buchman-Schmitt, et al., 2017) and suicide

so there could be different relationships between the constructs from which the theory stipulates at the beginning. On the other hand, and seeing the variation of TB influence, other important constructs could have influence on suicide that the theory could not have taken into account. Theory takes hopeless into account, though only one study has been found to specifically assess the IPTS hypothesis regarding the transition of passive suicidal ideation to active suicidal ideation, but the study does not support this hypothesis (Baertschi et al., 2017). Future lines of research should test this. In addition to the influence of TB and PB, this review points out the importance of these social factors which seem to influence the relationship of other proximally-acting factors or cognitive traits (such as fear of negative evaluation, interpersonal stress, rejection perceived parental) with suicide.

The results of this review could hint at the influence of subjective perception of social environment on subjects with suicidal ideation. As far as the literature has been studied, there is a great influence on the part of IPTS variables, which helps us to better understand this phenomenon, where there are many factors and variables to consider. Knowing this, and if empirical evidence continues to support theories on suicide that include social variables as an essential part, then it would not hurt to include these, not only in clinical practice treatment programs, but also in suicide prevention programs.

## **Conflict of Interest**

The authors of this article declare no conflict of interest.

# References

- Allbaugh, L. J., I. A., Florez, Render Turmaud, D., Quyyum, N., Dunn, S. E., Kim, J., & Kaslow, N. J. (2017) Child abuse—Suicide resilience link in African American women: Interpersonal psychological mediators. *Journal of Aggression, Maltreatment and Trauma*, 26(10), 1055-1071. https://doi.org/10.1080/10926771.2017.1350773
- Baams, L., Grossman, A. H., & Russell, S. T. (2015) Minority stress and mechanisms of risk for depression and suicidal ideation among lesbian, gay, and bisexual youth. *Developmental Psychology*, 51(5), 688-696. https://doi.org/10.1037/a0038994
- Baertschi, M., Costanza, A., Richard-Lepouriel, H. Pompili, A. H., Sarasin, F. Weber, K., & Canuto, A. (2017) The application of the interpersonal-psychological theory of suicide to a sample of Swiss patients attending a psychiatric emergency department for a non-lethal suicidal event. *Journal of Affective Disorders*, 210, 323-331. https://doi.org/10.1016/j.jad.2016.12.049
- Bryan, C. J., Morrow, C., Anestis, M., & Joiner, T. (2010). A preliminary test of the interpersonal-psychological theory of suicidal behavior in a military sample. *Personality and Individual Differences, 48*(3), 347-350. https://doi.org/10.1016/j.paid.2009.10.023
  Buckner, J. D., Lemke, A. W., Jeffries E. R., & Shah, S. M. (2017a) Social
- Buckner, J. D., Lemke, A. W., Jeffries E. R., & Shah, S. M. (2017a) Social anxiety and suicidal ideation: Test of the utility of the interpersonalpsychological theory of suicide. *Journal of Anxiety Disorders*, 45, 60-63. https://doi.org/10.1016/j.janxdis.2016.11.010
- 63. https://doi.org/10.1016/j.janxdis.2016.11.010
  Buckner, J. D., Lemke, A. W., & Walukevich, K. A. (2017b) Cannabis use and suicidal ideation: Test of the utility of the interpersonal-psychological theory of suicide. *Psychiatry Research*, 253, 256-259. https://doi.org/10.1016/j.psychres.2017.04.001
- Buitron, V., Hill, R. M., Pettit, J. W. Green, K. L., Hatkevich, C., & Sharp, C. (2016) Interpersonal stress and suicidal ideation in adolescence: An indirect association through perceived burdensomeness toward others. *Journal of Affective Disorders*, 190, 143-149. https://doi.org/10.1016/j.iad.2015.09.077
- Cajaĺ, B., Jiménez, R., Gervilla, E., & Montaño, J. J. (2020). Doing a systematic review in health sciences. Clínica y Salud, 31(2), 77-83. https://doi. org/10.5093/clysa2020a15
- Campos, R. C., & R. R. Holden (2015) Testing models relating rejection, depression, interpersonal needs, and psychache to suicide risk in nonclinical individuals. *Journal of Clinical Psychology*, 71(10), 994-1003. https://doi.org/10.1002/jclp.22196
- Campos, R. C., & Holden, R. R. (2016) Testing a theory-based model of suicidality in a community sample. *Omega: Journal of Death and Dying, 74*(2), 119-137. https://doi.org/10.1177/0030222815598428
- Campos, R. C., Holden, R. R. Laranjeira, P. Troister, T. Oliveira, A. R. Costa, F. Abreu, M., & Fresca, N. (2016) Self-report depressive symptoms do not directly predict suicidality in nonclinical individuals: Contributions

- toward a more psychosocial approach to suicide risk. *Death Studies*, 40(6), 335-349. https://doi.org/10.1080/07481187.2016.1150920
- Chu, C., Buchman-Schmitt, J. M., Moberg, F. B., & Joiner, T. E. (2016). Thwarted belongingness mediates the relationship between fear of negative evaluation and suicidal ideation. *Cognitive Therapy and Research*, 40(1), 31-37. https://doi.org/10.1007/s10608-015-9715-3
  Chu, C., Buchman-Schmitt, J. M., Stanley, I. H., Hom, M. A., Tucker, R. P.,
- Chu, C., Buchman-Schmitt, J. M., Stanley, I. H., Hom, M. A., Tucker, R. P., Hagan, C. R., Rogers, M. L., Podlogar, M. C., Chiurliza, B., Ringer, F. B., Michaels, M. S., Patros, C. H. G., & Joiner, T. E. (2017) The interpersonal theory of suicide: A systematic review and meta-analysis of a decade of cross-national research. *Psychological Bulletin, 143*(12), 1313-1345. https://doi.org/10.1037/bul0000123
- Chu, C., Hom, M. A., Rogers, M. L., Ringer, F. B., Hames, J. L., Suh, S., & Joiner, T. E. (2016). Is insomnia lonely? Exploring thwarted belongingness as an explanatory link between insomnia and suicidal ideation in a sample of South Korean university students. *Journal of Clinical Sleep Medicine*, 12(5), 647-652. https://doi.org/10.5664/jcsm.5784
  Chu, C., Hom, M. A., Rogers, M. L., Stanley, I. H., Ringer-Moberg, F. B., Podlogar,
- Chu, C., Hom, M. A., Rogers, M. L., Stanley, I. H., Ringer-Moberg, F. B., Podlogar, M. C., Hirsch, J. K., & Joiner, T. E. (2017) Insomnia and suicide-related behaviors: A multi-study investigation of thwarted belongingness as a distinct explanatory factor. *Journal of Affective Disorders*, 208, 153-162. https://doi.org/10.1016/j.jad.2016.08.065
- Chu, C., Rogers, M. L., & Joiner, T.E. (2016). Cross-sectional and temporal association between non-suicidal self-injury and suicidal ideation in young adults: The explanatory roles of thwarted belongingness and perceived burdensomeness. *Psychiatry Research*, 246, 573-580. https://doi.org/10.1016/j.psychres.2016.07.061
- Cole, A. B., Wingate, L. R., Slish, M. L., Tucker, R. P., Hollingsworth, D. W., & O'Keefe, V. M. (2013). Burdensomeness, depression, and suicide in a sample of American-Indian college students. Ethnicity and Inequalities in Health and Social Care, 6(2-3), 77-86. https://doi.org/10.1108/EIHSC-10-2013-0026
- Cramer, R. J., Burks, A. C., Stroud, C. H., Bryson, C. N, & Graham, J. (2015). A moderated mediation analysis of suicide proneness among lesbian, gay, and bisexual community members. *Journal of Social and Clinical Psychology*, 34(7), 622-641. https://doi.org/10.1521/jscp.2015.34.7.622
- Cramer, R. J., Stroud, C. H., Fraser, T., & Graham, J. (2014) A traitinterpersonal analysis of suicide proneness among lesbian, gay, and bisexual community members. Suicide and Life-Threatening Behavior, 44(6), 601-615. https://doi.org/10.1111/sltb.12092
- da Costa Santos, C. M., de Mattos Pimenta, C. A., & Nobre, M. R. (2007). The PICO strategy for the research question construction and evidence search. Revista Latino-Americana de Enfermagem, 15(3), 508-511. https://doi.org/10.1590/S0104-11692007000300023
- Davis, M. T., Witte, T. K., Weathers, F. W., & Blevins, C. A. (2014). The role of posttraumatic stress disorder symptom clusters in the prediction of passive suicidal ideation. *Psychological Trauma: Theory, Research, Practice, and Policy, 6*(Suppl 1), S82-S91. https://doi.org/10.1037/a0035966
- DeCatanzaro, D. (1995) Reproductive status, family interactions, and suicidal ideation: Surveys of the general public and high-risk groups. Ethology & Sociobiology, 16(5), 385-394. https://doi.org/10.1016/0162-3095(95)00055-0
- Dutton, G. R., Bodell, L. P., Smith, A. R., & Joiner, T. E. (2013). Examination of the relationship between obesity and suicidal ideation. *International Journal of Obesity*, *37*(9), 1282-1286. https://doi.org/10.1038/ijo.2012.224

  Forkmann, T., & Teismann, T. (2017). Entrapment, perceived
- Forkmann, T., & Teismann, T. (2017). Entrapment, perceived burdensomeness and thwarted belongingness as predictors of suicide ideation. *Psychiatry Research*, 257, 84-86. https://doi.org/10.1016/j. psychres.2017.07.031
- Hagan, C. R., & Joiner, T. E. (2017). The indirect effect of perceived criticism on suicide ideation and attempts. *Archives of Suicide Research, 21*(3), 438-454. https://doi.org/10.1080/13811118.2016.1218398
- Hawkins, K. A., Hames, J. L., Ribeiro, J. D., Silva, C., Joiner, T. E, & Cougle, J. R. (2014). An examination of the relationship between anger and suicide risk through the lens of the interpersonal theory of suicide. *Journal of Psychiatric Research*, 50, 59-65. https://doi.org/10.1016/j.jpsychires.2013.12.005
- Hayes, A. F. (2013). Introduction to mediation, moderation and conditional process analysis. A regression based approach. The Guilford Press.
- Hirsch, J. K., Cukrowicz, K. C., & Walker, K. L. (2016). Pain and suicidal behavior in primary care patients: Mediating role of interpersonal needs: Pain, social distress and suicide in primary care. *International Journal of Mental Health and Addiction*, 14, 820-830. https://doi. org/10.1007/s11469-016-9642-x
- Hollingsworth, D. W., Cole, A. B., O'Keefe, V. M., Tucker, R. P., Story, C. R., & Wingate, L. R. (2017). Experiencing racial microaggressions influences suicide ideation through perceived burdensomeness in African Americans. *Journal of Counseling Psychology*, 64(1), 104-111. https://doi.org/10.1037/cou0000177
- Hom, M. A., Chu, C., Schneider, M. E., Lim, I. C., Hirsch, J. K., Gutierrez, P. M., & Joiner, T. E. (2017) Thwarted belongingness as an explanatory link between insomnia symptoms and suicidal ideation: Findings from three samples of military service members and veterans. *Journal of Affective Disorders*, 209, 114-123. https://doi.org/10.1016/j.iad.2016.11.032

- Jahn, D. R., Cukrowicz, K. C., Linton, K., & Prabhu, F. (2011). The mediating effect of perceived burdensomeness on the relation between depressive symptoms and suicide ideation in a community sample of older adults. Aging and Mental Health, 15(2), 214-220. https://doi.org/ 10.1080/13607863.2010.501064
- Jahn, D. R., Poindexter, E. K., & Cukrowicz, K. C. (2015). Personality disorder traits, risk factors, and suicide ideation among older adults. *International Psychogeriatrics*, 27(11), 1785-1794. https://doi. org/10.1017/S1041610215000174
- Joiner, T. (2005). Why people die by suicide. Harvard University Press.
- Joiner, T. E., Jr., Van Orden, K. A., Witte, T. K., Selby, E. A., Ribeiro, J. D., Lewis, R., & Rudd, M. D. (2009). Main predictions of the interpersonalpsychological theory of suicidal behavior: Empirical tests in two samples of young adults. *Journal of Abnormal Psychology*, 118(3), 634-646. https://doi.org/10.1037/a0016500
- Kleiman, E. M., Law, K. C., & Anestis, M. D. (2014). Do theories of suicide play well together? Integrating components of the hopelessness and interpersonal psychological theories of suicide. Comprehensive Psychiatry, 55(3), 431-438. https://doi.org/10.1016/j. comppsych.2013.10.015
- Kwan, M. Y., Gordon, K. H., Carter, D. L., Minnich, A. M., & Grossman, S. D. (2017). An examination of the connections between eating disorder symptoms, perceived burdensomeness, thwarted belongingness, and suicide risk among undergraduate students. Suicide and Life-Threatening Behavior, 47(4), 493-508. https://doi.org/10.1111/sltb.12304
- Lamis, D. A., & Malone, P. S. (2011). Alcohol-related problems and risk of suicide among college students: The mediating roles of belongingness and burdensomeness. *Suicide and Life-Threatening Behavior*, *41*(5), 543-553. https://doi.org/10.1111/j.1943-278X.2011.00052.x Liberati, A., Altman, D. G., Tetzlaff, J., Mulrow, C., Gøtzsche, P. C., Ioannidis,
- Liberati, A., Altman, D. G., Tetzlaff, J., Mulrow, C., Gøtzsche, P. C., Ioannidis, J. P., Clarke, M., Devereaux, P. J., Kleijnen, J., & Moher, D. (2009). The PRISMA statement for reporting systematic reviews and meta-analyses of studies that evaluate health care interventions: Explanation and elaboration. *PLoS Med*, 6, e1000100. https://doi.org/10.1371/journal.pmed.1000100
- Ma, J., Batterham, P. J., Calear, A. L., & Han, J. (2016) A systematic review of the predictions of the interpersonal-psychological theory of suicidal behavior. *Clinical Psychology Review*, 46, 34-45. https://doi. org/10.1016/j.cpr.2016.04.008
- Mitchell, S. M., Seegan, P. L., Roush, J. F., Brown, S. L., Sustaita, M. A., & Cukrowicz, K. C. (2016). Retrospective cyberbullying and suicide ideation: The mediating roles of depressive symptoms, perceived burdensomeness, and thwarted belongingness. *Journal of Interpersonal Violence*, 33(16), https://doi.org/10.1177/0886260516628291
- Moher, D., Liberati, A., Tetzlaff, J., & Altman, D. G. (2009). Preferred reporting items for systematic reviews and meta-analyses: The PRISMA statement. *PLoS Med*, 6, e1000097. https://doi.org/10.1371/ journal.pmed.1000097
- Monteith, L. L., Pease, J. L., Forster, J. E., Homaifar, B. Y., & Bahraini, N. H. (2015). Values as moderators of the association between interpersonalpsychological constructs and suicidal ideation among veterans. Archives of Suicide Research, 19(4), 422-434. https://doi.org/10.1080 /13811118.2015.1004486
- Nock, M., Borges, G., Bromet, E., Alonso, J., Angermeyer, M., Beautrais, A., & Williams, D. (2008). Cross-national prevalence and risk factors for suicidal ideation, plans and attempts. *British Journal of Psychiatry*, 192(2), 98-105. https://doi.org/10.1192/bjp.bp.107.040113
- Pennings, S. M., Finn, J., Houtsma, C., Green, B. A., & Anestis, M. D. (2017). Posttraumatic stress disorder symptom clusters and the interpersonal theory of suicide in a large military sample. Suicide and Life-Threatening Behavior, 47(5), 538-550. https://doi.org/10.1111/sltb.12317
- Behavior, 47(5), 538-550. https://doi.org/10.1111/sltb.12317
  Poindexter, E. K., Mitchell, S. M., Jahn, D. R., Smith, P. N., Hirsch, J. K., & Cukrowicz, K. C. (2015). PTSD symptoms and suicide ideation: Testing the conditional indirect effects of thwarted interpersonal needs and using substances to cope. Personality and Individual Differences, 77, 167-172. https://doi.org/10.1016/j.paid.2014.12.043

- Puzia, M. E., Kraines, M. A., Liu, R. T., & Kleiman, E. M. (2014). Early life stressors and suicidal ideation: Mediation by interpersonal risk factors. *Personality and Individual Differences*, *56*, 68-72. https://doi.org/10.1016/j.paid.2013.08.027
- Qin, P. & Nordentoft, M. (2005). Suicide risk in relation to psychiatric hospitalization. Archives of General Psychiatry, 62(4), 427-432. https://doi.org/10.1001/archpsyc.62.4.427
- Rasmussen, K. A., & Wingate, L. R. (2011). The role of optimism in the interpersonal-psychological theory of suicidal behavior. *Suicide and Life-Threatening Behavior*, 41(2), 137-148. https://doi.org/10.1111/j.1943-278X.2011.00022.x
- Rogers, M. L., & Joiner, T. E., Jr. (2016). Borderline personality disorder diagnostic criteria as risk factors for suicidal behavior through the lens of the interpersonal theory of suicide. *Archives of Suicide Research*, 20(4), 591-604. https://doi.org/10.1080/13811118.2016.1158681
- Rogers, M. L., Kelliher-Rabon, J., Hagan, C. R., Hirsch, J. K., & Joiner, T. E. (2017). Negative emotions in veterans relate to suicide risk through feelings of perceived burdensomeness and thwarted belongingness. *Journal of Affective Disorders*, 208, 15-21. https://doi.org/10.1016/j.iad.2016.09.038
- Roush, J. F., Brown, S. L., Mitchell, S. M., & Cukrowicz, K. C. (2017). Shame, guilt, and suicide ideation among bondage and discipline, dominance and submission, and sadomasochism practitioners: Examining the role of the interpersonal theory of suicide. Suicide and Life-Threatening Behavior, 47(2), 129-141. https://doi.org/10.1111/sltb.12267
- Solomon, R. L. (1998). The opponent-process theory of acquired motivation: The costs of pleasure and benefits of pain. *American Psychologist*, 35(8), 691-712. https://doi.org/10.1037/0003-066X.35.8.691
- Talley, A. E., Brown, S. L., Cukrowicz, K., & Bagge, C. L. (2016). Sexual self-concept ambiguity and the interpersonal theory of suicide risk. Suicide and Life-Threatening Behavior, 46(2), 127-140. https://doi.org/10.1111/sltb.12176
- Testa, R. J., Michaels, M. S., Bliss, W., Rogers, M. L., Balsam, K. F., & Joiner, T. (2017). Suicidal ideation in transgender people: Gender minority stress and interpersonal theory factors. *Journal of Abnormal Psychology*, 126(1), 125-136, https://doi.org/10.1037/abn0000234
- 126(1), 125-136. https://doi.org/10.1037/abn0000234

  Tucker, R. P., Wingate, L. R., O'Keefe, V. M., Slish, M. L., Judah, M. R., & Rhoades-Kerswill, S. (2013). The moderating effect of humor style on the relationship between interpersonal predictors of suicide and suicidal ideation. Personality and Individual Differences, 54(5), 610-615. https://doi.org/10.1016/j.paid.2012.11.023
- 615. https://doi.org/10.1016/j.paid.2012.11.023

  Van Orden K., Cukrowicz K., Witte T., & Joiner T. (2012) Thwarted belongingness and perceived burdensomeness: Construct validity and psychometric properties of the Interpersonal Needs Questionnaire. 

  Psychological Assessment, 24(1), 197-215. https://doi.org/10.1037/a0025358
- Van Orden, K., Cukrowicz, K., Witte, T., & Joiner, T. (2012). The interpersonal theory of suicide. *Psychological Review*, 117(2), 575-600. https://doi.org/10.1037/a0018697
- Venta, A., Mellick, W., Schatte, D., & Sharp, C. (2014). Preliminary evidence that thoughts of thwarted belongingness mediate the relations between level of attachment insecurity and depression and suiciderelated thoughts in inpatient adolescents. *Journal of Social and Clinical Psychology*, 33(5), 428-447. https://doi.org/10.1521/jscp.2014.33.5.428
- World Health Organization. (2017). Salud mental. Prevención del suicidio: un imperativo global. WHO. http://www.who.int/mental\_health/suicide-prevention/infographic/es
- Wolford-Clevenger, C., Elmquist, J., Brem, M., Zapor, H., & Stuart, G. L. (2016). Dating violence victimization, interpersonal needs, and suicidal ideation among college students. Crisis, 37(1), 51-58. https://doi.org/10.1027/0227-5910/a000353
- Zullo, L., Horton, S., Eaddy, M., King, J., Hughes, J., Diederich, A., Kennard, B., Emslie, G., & Stewart, S. (2017). Adolescent insomnia, suicide risk, and the interpersonal theory of suicide. *Psychiatry Research*, 257, 242-248. https://doi.org/10.1016/j.psychres.2017.07.054