

Appendix 1
Summary Table of Primary Studies Characteristics

	N_{GE}	N_{CC}	r	r_{xx}	r_{yy}	CSA Questionnaire	Depression/ Anxiety Measure	Type of measure
Balsam, Lehavot, Beadnell, & Circo (2010)	669		.13	.94	.86	CTQ-SF	PHQ GAD-7	Anxiety Symptomatology
	669		.08	.94	.91	< 17 years	CESD-10	Depressive Symptomatology
Bonomi, Cannon, Anderson, Rivara, & Thompson (2008) ^a	693	2399	.05	-	.76	Behavioral Risk Factor Surveillance System < 18 years	CES-D	Depressive Symptomatology
Briere and Elliot (2003) ^a	152	309	.17	-	.86	TES	TSI	Anxiety Symptomatology
	152	309	.22	-	.86	< 18 years	TSI	Depressive Symptomatology
Briere and Elliot (2003) ^b	66	398	.26	-	.86	TES	TSI	Anxiety Symptomatology
	66	398	.26	-	.86	< 18 years	TSI	Depressive Symptomatology
Brown, Cohen, Johnson, & Smailes (1999)	22	558	.72	-	-	Forensic Sample	DSM-III-R	Dysthymia
	22	558	.43	-	-	Forensic Sample	DSM-III-R	Major Depressive Disorder
Cantón-Cortés, Cortés, & Cantón (2012)	182	182	.30	-	.86	Childhood Sexual Abuse Questionnaire < 13 years	BDI STAI	Depressive Symptomatology Anxiety Symptomatology
	182	182	.23	-	.62			
Cantón-Cortés & Justicia (2008)	83	83	.22	-	.86	Questionnaire < 13 years	BDI	Depressive Symptomatology
Carey, Walker, Rossouw, Seedat, & Stein (2008)	50	44	.03	-	-	CTQ	DSM-IV	Major Depressive Disorder
	50	44	-.08	-	-	< 17 years	DSM-IV	Dysthymia
	50	44	.01	-	-		DSM-IV	Panic Disorder
	50	44	.01	-	-		DSM-IV	Social Phobia
Cheasty, Clare, & Collins (1998) ^a	73	164	.15	-	.86	30-item General Health Questionnaire < 16 years	BDI	Depressive Symptomatology
Chen, Dunne, & Han (2004) ^a	89	944	.16 ⁽¹⁾	-	.89	Questionnaire	CES-D	Depressive Symptomatology
	102	944	.24 ⁽²⁾	-	.89	< 16 years		Depressive Symptomatology
Chen, Dunne, & Han (2004) ^b	62	990	.14 ⁽¹⁾	-	.89	Questionnaire	CES-D	Depressive Symptomatology
	55	990	.16 ⁽²⁾	-	.89	<16 years		Depressive Symptomatology
Chen, Dunne, & Han (2006) ^a	28	269	.08 ⁽¹⁾	-	.91	Questionnaire	CES-D	Depressive Symptomatology
	49	269	.24 ⁽²⁾	-	.91	< 16 years		Depressive Symptomatology
Chen et al. (2014) ^{a,(1)}	233	10882	.30	-	-	Stressful Life Events	CIDI (DSM-IV)	Major Depressive Disorder
Chen et al. (2014) ^{a,(2)}	281	10834	.58	-	-	Stressful Life Events	CIDI (DSM-IV)	Major Depressive Disorder
Chen et al. (2014) ^{a,(3)}	171	10944	.74	-	-	Stressful Life Events	CIDI (DSM-IV)	Major Depressive Disorder
Comijs et al. (2013)	85	175	.23	-	-	Structured inventory	IDS	Depressive Symptomatology
	85	175	.14	-	-	< 16 years	BAI	Anxiety Symptomatology
Cortés-Arboleda, Cantón-Cortés, & Cantón-Duarte (2011) ^a	209	209	.20	-	.92	Questionnaire < 18 years	STAI	Anxiety Symptomatology
Cortés-Arboleda, Cantón-Duarte, & Cantón-Cortés (2011) ^a	240	240	.22	-	.92	Questionnaire	STAI	Anxiety Symptomatology
	240	240	.29	-	.83	< 16 years	BDI	Depressive Symptomatology
Cortés-Arboleda, Cantón-Duarte, & Cantón-Cortés (2011) ^b	29	29	.29	-	.92	Questionnaire	STAI	Anxiety Symptomatology
	29	29	.18	-	.83	< 16 years	BDI	Depressive Symptomatology

Appendix 1
Summary Table of Primary Studies Characteristics

	N_{CE}	N_{GC}	r	r_{xx}	r_{yy}	CSA Questionnaire	Depression/ Anxiety Measure	Type of measure
Cutajar et al. (2010) ^a	2153	2055	.34	-	-	Forensic Sample	ICD	Depressive Disorder
	2153	2055	.36	-	-	< 16 years	ICD	Anxiety Disorder
Cutajar et al. (2010) ^b	535	622	-.02	-	-	Forensic Sample	ICD	Depressive Disorder
	535	622	.40	-	-	< 16 years	ICD	Anxiety Disorder
Doerfler, Toscano Jr., & Connor (2009)	39	73	.22	-	.91	Forensic Sample	DSMD	Depressive Symptomatology
	39	73	.27	-	.86		DSMD	Anxiety Symptomatology
Dube et al. (2005) ^a	1173	3520	.13	.69	-	ACE	Screening Instrument	Major Depressive Disorder
						< 18 years	for Depressive Disorders	
Dube et al. (2005) ^b	601	3414	.07	.69	-	ACE	Screening Instrument	Major Depressive Disorder
						< 18 years	for Depressive Disorders	
Feeney, Kamiya, Robertson, & Kenny (2013)	451	6256	.08	-	.85	2 questions	CES-D	Depressive Symptomatology
	451	6256	.08	-	.80	< 18 years	HADS-A	Anxiety Symptomatology
Feerick & Snow (2005) ^a	98	215	.13	-	.84	CSAI < 18 years	HSCL	Anxiety Symptomatology
Fergusson, Boden, & Horwood (2008) ⁽¹⁾	28	881	.09	-	-	Interview	CIDI	Anxiety Disorder
	28	881	.12	-	-	<16 years	DSM-IV	Major Depressive Disorder
Fergusson, Boden, & Horwood (2008) ⁽²⁾	52	881	.17	-	-	Interview	CIDI	Anxiety Disorder
	52	881	.23	-	-	< 16 years	DSM-IV	Major Depressive Disorder
Fergusson, Boden, & Horwood (2008) ⁽³⁾	64	881	.19	-	-	Interview	CIDI	Anxiety Disorder
	64	881	.27	-	-	<16 years	DSM-IV	Major Depressive Disorder
Ferguson & Dacey (1997) ^a	19	55	.41	-	.85	CEQ	BDI	Depressive Symptomatology
	19	55	.37	-	.90		STAI	Anxiety Symptomatology
Fergusson, McLeod, & Horwood (2013)	28	809	.08 ⁽¹⁾	-	-	Structured	CIDI	Major Depressive Disorder
	51	809	.15 ⁽²⁾	-	-	Interview		Major Depressive Disorder
	62	809	.20 ⁽³⁾	-	-	< 16 years		Major Depressive Disorder
	28	809	.05 ⁽¹⁾	-	-	Structured	CIDI	Anxiety Disorder
	51	809	.09 ⁽²⁾	-	-	Interview		Anxiety Disorder
	62	809	.22 ⁽³⁾	-	-	< 16 years		Anxiety Disorder
Fondacaro, Holt, & Powell (1999) ^b	86	125	.18	-	-	Questionnaire	DIS (DSM-III-R)	Major Depressive Disorder
	86	125	.06	-	-	< 16 years		Dysthymia
	86	125	.23	-	-			Panic Disorder
	86	125	.25	-	-			Generalized Anxiety Disorder
Frias, Brassard, & Shaver (2014) ^a	116	691	.10	-	.90	1 question	ECR	Anxiety Symptomatology
Godbout, Briere, Sabourin, & Luissier (2013)	59	284	.23	-	.88	SCEQ	ECR	Anxiety Symptomatology
						<18 years		
Gudjonsson, Sigurdsson, & Tryggvadóttir (2011)	37	73	.12	-	.84	Parental Neglect	DASS	Anxiety Symptomatology
	37	73	.06	-	.91	and Sexual Abuse Questionnaire < 18 years	DASS	Depressive Symptomatology
Haj-Yahia & Tamish (2001)	652		.55	.89	.88	Sexual Abuse	BSI	Anxiety Symptomatology
	652		.60	.89	.88	Finkelhor's	BSI	Depressive Symptomatology
	652		.59	.89	-	Scale		Anxiety Symptomatology
Henderson, Hargreaves, Gregory, & Williams (2002) ^a	22	57	.27	-	-	Interview	POMS-SF	Depressive Symptomatology
	22	57	.31	-	-	<14 years	POMS-SF	Anxiety Symptomatology

Appendix 1
Summary Table of Primary Studies Characteristics

	N_{GE}	N_{GC}	r	r_{xx}	r_{yy}	CSA Questionnaire	Depression/ Anxiety Measure	Type of measure
Hobfoll et al. (2002)	67		.05	.93	.90	CTQ < 17 years	POMS	Depressive Symptomatology
Jonas et al. (2011)	964	6389	.21	-	.75	Interview	CIS-R	Major Depressive Disorder Generalized Anxiety
Generalized Anxiety Disorder			.19	-	.75	<16 years	CIS-R	
			.18	-	.75		CIS-R	Panic Disorder
			.28	-	.75		CIS-R	Phobic Disorder
Kendler et al. (2000)	427	983	.24	-	-	Interview	SCI (DSM-III-R)	Generalized Anxiety Disorder
	427	983	.24	-	-	< 16 years	SCI	Panic Disorder
	427	983	.25	-	-		SCI	Major Depressive Disorder
Kent & Waller (1998) ^a	236		.30	.61	.70	CATS	HADS-A	Anxiety Symptomatology
	236		.28	.61	.60		HADS-D	Depressive Symptomatology
Kugler, Bloom, Kaercher, Truax, & Storch (2012)	54	107	.57	-	.88	Forensic sample	TSCC	Anxiety Symptomatology
	54	107	.62	-	.81	8-17 years	CDI and TSCC	Depressive Symptomatology
Kuo, Goldin, Werner, Heimberg, & Gross (2011)	20	82	.10	.86	.93	CTQ-SF	SIAS	Anxiety Symptomatology
	20	82	.07	.86	.90	< 16 years	BDI-II	Depressive Symptomatology
Lamoureux, Palmieri, Jackson, & Hobfoll (2012) ^a	271	422	.26	.87	.89	CTQ <16 years	CES-D	Depressive Symptomatology
Leck, Difede, Patt, Giosan, & Szkodny (2006) ^b	92	2030	.18	.83	.93	TEI	BDI-II	Depressive Symptomatology
Li, Ahmed, & Zabin (2012)	214	3870	.27	-	-	Research Study of	1 question	Anxiety Symptomatology
	214	3870	.28	-	-	Adolescent Health <14 years	1 question	Depressive Symptomatology
Liem, O'Toole, & James (1996) ^a	43	43	.24	-	.81	SEQ	BSI	Anxiety Symptomatology
	43	43	.25	-	.85	<14 years	BSI	Depressive Symptomatology
	43	43	.29	-	.83		BDI-SF	Depressive Symptomatology
Linskey & Fergusson (1997)	24	918	.11 ⁽¹⁾	-	-	Reports of	DSM-IV	Anxiety Disorder
	47	918	.15 ⁽²⁾	-	-	Childhood Sexual	DSM-IV	Anxiety Disorder
	36	918	.15 ⁽³⁾	-	-	Abuse	DSM-IV	Anxiety Disorder
	24	918	.12 ⁽¹⁾	-	-	<16 years	DSM-IV	Depressive Disorder
	47	918	.17 ⁽²⁾	-	-		DSM-IV	Depressive Disorder
	36	918	.21 ⁽³⁾	-	-		DSM-IV	Depressive Disorder
López, Carpintero, Hernández, Martín, & Fuertes (1995)	337	1484	.12	-	-	Interview	SRQ	Anxiety Symptomatology
	337	1484	.08	-	-	< 16 years	SRQ	Depressive Symptomatology
Lumley & Harkness (2007)	11		.13	.93	.91	CECA	MASQ	Anxiety Symptomatology
	11		.13	.93	.88		MASQ	Depressive Symptomatology
Luterek, Harb, Heimberg, & Marx (2004) ^a	34		.12	-	.81	LEQ < 14 years	BDI	Depressive Symptomatology
MacMillan et al. (2001) ^a	508	3170	.08	-	-	Child Maltreatment	CIDI	Anxiety Disorder
	508	3170	.07	-	-	History Self-Report	CIDI	Depressive Disorder
MacMillan et al. (2001) ^b	150	3188	.02	-	-	Child Maltreatment	CIDI	Anxiety Disorder
	150	3188	.02	-	-	History Self-Report	CIDI	Depressive Disorder
Manion et al. (1998) ^a	29	45	.47	-	-	NAEF	Depression Self-Rating	Depressive Symptomatology
						<14years	Scale for Children	
Manion et al. (1988) ^b	22	29	.39	-	-	NAEF	Depression Self-Rating	Depressive Symptomatology
						<14years	Scale for Children	

Appendix 1
Summary Table of Primary Studies Characteristics

	N_{CE}	N_{GC}	r	r_{xx}	r_{yy}	CSA Questionnaire	Depression/ Anxiety Measure	Type of measure
Mapp (2006) ^a	107	158	.13	-	.87	Forensic Sample <18 years	CES-D	Depressive Symptomatology
Mchichi Alami & Kadri (2004) ^a	62	620	.09	-	-	Questionnaire	Hamilton Depression	Depressive Symptomatology
	19	620	.10 ⁽¹⁾	-	-		Rating Scale	Depressive Symptomatology
	21	620	.03 ⁽²⁾	-	-			Depressive Symptomatology
	22	620	.03 ⁽³⁾	-	-			Depressive Symptomatology
	63	617	.02	-	-		Hamilton Anxiety	Anxiety Symptomatology
	21	617	.05 ⁽¹⁾	-	-		Rating Scale	Anxiety Symptomatology
	20	617	.01 ⁽²⁾	-	-			Anxiety Symptomatology
	22	617	.01 ⁽³⁾	-	-			Anxiety Symptomatology
McLean, Morris, Conklin, Jayawickreme, & Foa (2014) ^a	71		.59	-	.87	Forensic Sample 13-18 years	BDI	Depressive Symptomatology
McLeer et al. (1998)	80	73	.33	-	.86	Interview	CDI	Depressive Symptomatology
	80	73	.27	-	.89	6-16 years	STAIC	Anxiety Symptomatology
Merril (2001) ^a	248	523	.15	-	.84	SEQ	TSI	Anxiety Symptomatology
	248	523	.17	-	.84	<14 years	TSI	Depressive Symptomatology
Messman-Moore, Long, & Siegfried (2000) ^a	56	282	.24	.89	.85	LEQ	SCL-90-R	Anxiety Symptomatology
	56	282	.17	.89	.90	< 17 years	SCL-90-R	Depressive Symptomatology
Meston, Rellini, & Heiman (2006) ^a	48	71	.34	-	.92	Questionnaire	BAI	Anxiety Symptomatology
	48	71	.40	-	.86	<16 years	BDI	Depressive Symptomatology
Meyerson, Long, Miranda, & Marx (2002)	39	91	.23	.75	.93	SEQ < 12 years	BDI-II	Depressive Symptomatology
Miller (2006) ^a	25	50	.22	-	.86	Interview	BDI	Depressive Symptomatology
Molnar, Buka, & Kessler (2001) ^a	394	2527	.13	-	-	<18 years	DSM-III-R	Generalized Anxiety Disorder
	394	2527	.13	-	-		DSM-III-R	Panic Disorder
	394	2527	.13	-	-		DSM-III-R	Phobic Disorder
	394	2527	.23	-	-		DSM-III-R	Major Depressive Disorder
	394	2527	.25	-	-		DSM-III-R	Dysthymia
Molnar, Buka, & Kessler (2001) ^b	74	2871	.04	-	-	<18 years	DSM-III-R	Generalized Anxiety Disorder
	74	2871	.09	-	-		DSM-III-R	Panic Disorder
	74	2871	.18	-	-		DSM-III-R	Phobic Disorder
	74	2871	.23	-	-		DSM-III-R	Major Depressive Disorder
	74	2871	.16	-	-		DSM-III-R	Dysthymia
Mullen, Martin, Anderson, Romans, & Herbison (1996) ^a	53	390	.21	-	-	Questionnaire <16 years	PSE-SF	Depressive Symptomatology
Musliner & Singer (2014) ^a	436	221	.24	-	.85	Questionnaire <16 years	CES-D-10	Depressive Symptomatology
Nelson et al. (2002) ^a	387	1931	.12	-	-	Interview	DSM-IV	Social Phobia
	387	1931	.17	-	-	<18 years	DSM-IV	Major Depressive Disorder
Nelson et al. (2002) ^b	90	1574	.04	-	-	Interview	DSM-IV	Social Phobia
	90	1574	.08	-	-	<18 years	DSM-IV	Major Depressive Disorder
Newcomb, Munoz, & Carmona (2009) ^a	66	79	.26	-	.77	CMIS-SF	TSI	Anxiety Symptomatology
	66	79	.20	-	.86	<17 years	TSI	Depressive Symptomatology
Newcomb, Munoz, & Carmona (2009) ^b	19	59	.32	-	.77	CMIS-SF	TSI	Anxiety Symptomatology
	19	59	.35	-	.86	<17 years	TSI	Depressive Symptomatology

Appendix 1
Summary Table of Primary Studies Characteristics

	N_{GE}	N_{CC}	r	r_{xx}	r_{yy}	CSA Questionnaire	Depression/ Anxiety Measure	Type of measure
Offen, Waller, & Thomas (2003)	10	16	.42	-	-	1 Question	BDI	Depressive Symptomatology
Peleikis, Mykletun, & Dahl (2004) ^a	56	56	.52	-	-	Interview	SCID-II	Major Depressive Disorder
	56	56	.27	-	-	<16 years		Dysthymia
Peleikis, Mykletun, & Dahl (2005) ^a	56	56	0	-	-	Detailed Structured	SCID	Panic Disorder
	56	56	.10	-	-	Interview	SCID	Agoraphobia
	56	56	.07	-	-	<16 years	SCID	Social Phobia
	56	56	.24	-	-		SCID	Generalized Anxiety Disorder
	56	56	.12	-	.85		SCL-90-R	Anxiety Symptomatology
	56	56	.14	-	.82		SCL-90-R	Anxiety Symptomatology
	56	56	.19	-	-		SCID	Major Depressive Disorder
	56	56	.23	-	-		SCID	Dysthymia
	56	56	.18	-	.90		SCL-90-R	Depressive Symptomatology
	Pérez-Fuentes et al. (2013)	3786	30431	.45	-	-	ACE	DSM-IV
3786		30431	.39	-	-	<18 years	DSM-IV	Social Phobia
3786		30431	.34	-	-		DSM-IV	Specific Phobia
3786		30431	.44	-	-		DSM-IV	Generalized Anxiety Disorder
3786		30431	.35	-	-		DSM-IV	Major Depressive Disorder
3786		30431	.40	-	-		DSM-IV	Dysthymia
Portegijs, Jeuken, van der Horst, Kraan, & Knottnerus (1996) ^a	11		.07	-	-	Youth Experiences	DIS	Anxiety Disorder
	11		.33	-	-	Questionnaire	DIS	Depressive Disorder
						<16 years		
Rich, Gidycz, Warkentin, Loh, & Weiland (2005) ^c	42		.09	-	.84	Child Sexual Victimization Quest.	BDI-II	Depressive Symptomatology
						<14 years		
Rich, Gidycz, Warkentin, Loh, & Weiland (2005) ^d	189		.28	-	.74	SES	BDI-II	Depressive Symptomatology
						<18 years		
Schaaf & McCaane (1998) ^a	27	211	.06	-	-	CSEQ	TSI	Anxiety Symptomatology
	27	211	.11	-	-	< 15 years	TSI	Depressive Symptomatology
Silverman, Reinherz, & Giaconia (1996) ^a	23	164	.08	-	-	Interview	DIS (DSM-III-R)	Specific Phobia
	23	164	.03	-	-	<18 years	DIS	Social Phobia
	23	164	.23	-	-		DIS	Major Depressive Disorder
Spertus, Yehuda, Wong, Halligan, & Seremetis (2003) ^a	41	162	.20	.82	.85	CTQ	SCL-90-R	Anxiety Symptomatology
	41	162	.18	.82	.90	< 17 years	SCL-90-R	Depressive Symptomatology
Steel, Sanna, Hammond, Whipple, & Cross (2004)	85	172	.21	-	.85	Sexual History	SCL-90-R	Anxiety Symptomatology
	85	172	.15	-	.90	Questionnaire	SCL-90-R	Depressive Symptomatology
						<18 years		
Subica (2013)	50	122	.25	-	.86	TAA-R	PHQ-8	Major Depressive Disorder
						<18 years		
Sun et al. (2008)	244	781	.29	-	.85	Questionnaire	SCL-90-R	Anxiety Symptomatology
	244	781	.36	-	.90	< 18 years	SCL-90-R	Depressive Symptomatology
Swanston et al. (2003)	104		.41	-	.82	Forensic Sample	RCMAS	Anxiety Symptomatology
	63		.41	-	.86	5-15 years	CDI	Depressive Symptomatology
Thomas, DiLillo, Walsh, & Polusny (2011) ^a	52		.36	.85	.93	WSHQ	BDI-II	Depressive Symptomatology
						<14 years		
Thompson et al. (2003) ^a	26	25	.45	-	-	Interview	SCID-I	Anxiety Disorder
	26	25	.55	-	-	< 18 years	SCID-I	Depressive Disorder

Appendix 1
Summary Table of Primary Studies Characteristics

	N_{CE}	N_{CC}	r	r_{xx}	r_{yy}	CSA Questionnaire	Depression/ Anxiety Measure	Type of measure
Trowell et al. (1999) ^a	21	21	.48	-	-	Forensic Sample	Kiddie-SADS	Major Depressive Disorder
			.27	-	-	8-14 years	Kiddie-SADS	Generalized Anxiety Disorder
			.29	-	-			Social Phobia
			.19	-	-			Specific Phobia
van Vugt, Lancôt, Paquette, Collin-Vézina, & Lemieux (2013) ^a	89	89	.46	.87	.88	CTQ	TSI-2	Anxiety Symptomatology
			.38	.87	.88	< 17 years	TSI-2	Depressive Symptomatology
Villarroel, Penelo, Portell, & Raich (2012) ^a	81	597	.04	-	.93	TLEQ	STAI	Anxiety Symptomatology
			.14	-	.88	<18 years	BDI	Depressive Symptomatology
Widom, DuMont, & Czaja (2007)	96	520	.03	-	-	Forensic Sample <12 years	DIS	Major Depressive Disorder
Young, Harford, Kinder, & Savell (2007) ^a	116	163	.22	.79	.83	ESE	BSI	Anxiety Symptomatology
			.13	.79	.89	<16 years	BSI	Depressive Symptomatology
Young, Harford, Kinder, & Savell (2007) ^b	39	88	.05	.79	.83	ESE	BSI	Anxiety Symptomatology
			.05	.79	.89	<16 years	BSI	Depressive Symptomatology

Note. N_{CE} = experimental group sample size; N_{CC} = control group sample size; r = sexual abuse victimization and depression/anxiety correlation; r_{xx} = reliability of sexual abuse measure instruments; r_{yy} = reliability of Anxiety and Depression measure instruments; ^afemale participants; ^bmale participants; ^cchildhood sexual abuse (CSA); ^dadolescence sexual abuse (ASA).

⁽¹⁾Non-contact CSA; ⁽²⁾contact CSA; ⁽³⁾intercourse.

CTQ-SF = Childhood Trauma Questionnaire Short Form; TES = Traumatic Events Survey; CESD-10 = 10-item Center for Epidemiologic Studies Depression; PHQ GAD-7 = 7-item Patient Health Questionnaire Generalized Anxiety Disorder Scale; CES-D = 20-item Center for Epidemiological Studies-Depression scale; BDI = Beck Depression Inventory; CIDI = Composite International Diagnostic Interview; IDS = Inventory of Depression Symptoms; STAI = State Trait Anxiety Inventory; ICD = International Classification of Disease; STAIC = State Trait Anxiety Inventory for Children; DSMD = Devereux Scales of Mental Disorders; ACE = Adverse Childhood Experiences; HADS-A = Hospital Anxiety and Depression Scale – Anxiety Scale; CSAI = Childhood Sexual Abuse Interview; HSCL = Hopkins Symptom Checklist; CEQ = Childhood Experiences Questionnaire; ECR = Experiences in Close Relationships Questionnaire; DASS = Depression Anxiety Stress Scales; BSI = Brief Symptom Inventory; POMS-SF = Profile of Mood States-Short Form; CTQ = Childhood Trauma Questionnaire; CIS-R = Clinical Interview Schedule Revised; CATS = Child Abuse and Trauma Scale; TSCC = Trauma Symptom Checklist for Children; CDI = Children Depression Inventory; TEI = Traumatic Events Interview; BDI-II = Beck Depression Inventory, second edition; TEQ = The Traumatic Events Questionnaire; BDI-SF = Beck Depression Inventory-Short Form; BSI = Brief Symptom Inventory; SEQ = The Significant Events Questionnaire; SRQ = Self Reporting Questionnaire; CECA = Childhood Experience of Care and Abuse Interview; MASQ = Mood and Anxiety Symptom Questionnaire; AA = Anxiety Arousal; TSI = Trauma Symptom Inventory; LEQ = Life Experiences Questionnaire; BAI = Beck Anxiety Inventory; PSE-SF = Present State Examination- Short Form; CMIS-SF = Childhood Maltreatment Interview Schedule-Short Form; SCID-II = Structured Clinical Interview for DSM-IV Axis II; CSEQ = Childhood Sexual Experiences Questionnaire; TAA-R = Trauma Assessment for Adults Brief Revised Version; PHQ-8 = Patient Health Questionnaire – 8; RCMAS = Revised Children's Manifest Anxiety Scale; WSHQ = CSA subscale from the Wyatt Sex History Questionnaire; Kiddie-SADS = Semi-Structured Interview Kiddie-Sads, DSM-IV; SICE = Structured Interview on CSA Experiences; TSC-33 = Trauma Symptom Checklist; ESE = Early Sexual Experiences; NIMH = National Institute of Mental Health Diagnostic Interview Schedule, Version III Revised; SES = Sexual Experiences Survey; SCI = Structured Clinical Interview; SIAS = Social Interaction Anxiety Scale; NAEF = Natural of the Abusive Experience Form; DIS = Diagnostic Interview Schedule; EPDS = Edinburgh Post-Natal Depression Scale; CCEI = Crown-Crisp Experiential Index; TLEQ = Traumatic Life Events Questionnaire; SCEQ = Childhood Sexual Experiences Questionnaire; RADS = Reynold's Adolescent Depression Scale.